

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	303	web adj domain	US-PGPUB; USPAT	OR	ON	2007/04/09 15:44
L2	43196	data adj buffer	US-PGPUB; USPAT	OR	ON	2007/04/09 15:38
L3	0	1 same 2	US-PGPUB; USPAT	OR	ON	2007/04/09 15:38
L4	9628	(709/217-219).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2007/04/09 15:39
L5	11	1 and 2	US-PGPUB; USPAT	OR	ON	2007/04/09 15:40
L6	3187203	empty clear new	US-PGPUB; USPAT	OR	ON	2007/04/09 15:40
L7	2213	6 near5 2	US-PGPUB; USPAT	OR	ON	2007/04/09 15:41
L8	16	7 and 4	US-PGPUB; USPAT	OR	ON	2007/04/09 15:42
L9	257	data near2 buffer near2 pool	US-PGPUB; USPAT	OR	ON	2007/04/09 15:45
L10	0	1 and 9	US-PGPUB; USPAT	OR	ON	2007/04/09 15:43
L11	2447	buffer near2 pool	US-PGPUB; USPAT	OR	ON	2007/04/09 15:43
L12	1	11 and 1	US-PGPUB; USPAT	OR	ON	2007/04/09 15:43
L13	225	(buffer adj pool).clm.	US-PGPUB; USPAT	OR	ON	2007/04/09 15:43
L14	146	(web near2 domain).clm.	US-PGPUB; USPAT	OR	ON	2007/04/09 15:44
L15	1870	web near2 domain	US-PGPUB; USPAT	OR	ON	2007/04/09 15:44
L16	1	13 and 14	US-PGPUB; USPAT	OR	ON	2007/04/09 15:44
L17	2	13 and 15	US-PGPUB; USPAT	OR	ON	2007/04/09 15:44
L18	34211	data near2 buffer	FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 15:46

EAST Search History

L19	163	web near2 domain	FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 15:46
L20	2	18 and 19	FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/09 15:47
L21	4114	web near2 log	US-PGPUB; USPAT	OR	ON	2007/04/09 15:47
L22	0	21 and 19	US-PGPUB; USPAT	OR	ON	2007/04/09 15:47


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

web domain buffer

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
Scholar [All articles](#) [Recent articles](#)
Results 1 - 10 of about 87,100 for **web domain buffer** . (0.14 seconds)

All Results

[Multiple roles for the C-terminal domain of eIF5 in translation initiation complex assembly and ... - group of 4 »](#)

W Focus, NPG Contact - The EMBO Journal, 2001 - palgrave-journals.com

... of GTP bound to eIF2, dependent on the eIF5 N-terminal domain (white half circle ...

by the manufacturer and dialyzed against the GST pull-down buffer (Asano et al ...

[Cited by 32](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)
[O Journals](#)
[J Embury](#)
[Y Hayashi](#)
[K Wong](#)
[T Itoh](#)
[A stateful intrusion detection system for World-Wide Web servers - group of 14 »](#)

TOC View - Computer Security Applications Conference, 2003. Proceedings ..., 2003 - ieeexplore.ieee.org

... The STAT framework makes cross-domain intrusion de ... More precisely, an im- proved

buffer overflow attack ... The scenario examines both web server access logs and ...

[Cited by 26](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)
[Characterization and crystallization of the helicase domain of bacteriophage T7 gene 4 protein - group of 4 »](#)

LE Bird, K Hakansson, H Pan, DB Wigley, O Journals - Nucleic Acids Research - Oxford Univ Press

... This suggests that there may be a common structural domain for helicases of the

DnaB ... The cell pellet was resuspended in buffer A [50 mM Tris-HCl, pH 7.5, 2 mM ...

[Cited by 32](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)
[Detection of DNA breaks in apoptotic cells utilizing the DNA binding domain of poly \(ADP-ribose\) ... - group of 4 »](#)

DS Rosenthal, R Ding, CMG Simbulan-Rosenthal, B ... - Nucleic Acids Research - Oxford Univ Press

... the potential to utilize the unique aspect of the PARP DNA binding domain as a ... cell

lysate was loaded onto a Ni-NTA column pre-equilibrated in buffer A (10 mM ...

[Cited by 17](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)
[... associated kinase and change in the phosphorylation sites on the C-terminal domain of RNA polymerase ... - group of 5 »](#)

MF Dubois, M Vincent, M Vigneron, J Adamczewski, ... - Nucleic Acids Research - Oxford Univ Press

... The beads were resuspended in 15 [μl] of buffer D supplemented with non ... 1 [μl]g

of the ctd4 oligopeptide which mimics the RPB1 C-terminal domain; this peptide ...

[Cited by 39](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)
[Scalable socket buffer tuning for highperformance Web servers - group of 15 »](#)

G Hasegawa, T Terai, T Okamoto, M Murata - Proceedings of IEEE ICNP 2001, 2001 - doi.ieeecomputersociety.org

... Thus, when there are many connections on the Web server requesting small documents,

the buffer assignment of the E-ATBT mechanism may become unstable as the ...

[Cited by 13](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)
[The amino-terminal domain of the transcription termination factor TTF-I causes protein ... - group of 4 »](#)

EE Sander, SW Mason, C Munz, I Grummt, O Journals - Nucleic Acids Research - Oxford Univ Press

... in repressing DNA binding activity when fused to a heterologous DNA binding domain. ...

were harvested, rinsed in PBS and resuspended in 3 vol lysis buffer (50 mM ...

[Cited by 17](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)
[Driving AMPA Receptors into Synapses by LTP and CaMKII: Requirement for GluR1 and PDZ Domain ... - group of 13 »](#)

Y Hayashi, SH Shi, JA Esteban, A Piccini, JC ... - Science's STKE, 2000 - stke.sciencemag.org

... the COOH-terminus of GluR1 and PDZ domain proteins ... the absolute amplitude of the

response [Web figure 1 ... pooled and solubilized in homogenization buffer (100 μl ...

[Cited by 450](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)
[Hot-spot mutants of p53 core domain evince characteristic local structural changes - group of 8 »](#)

KB Wong, BS DeDecker, SMV Freund, MR Proctor, M ... - 1999 - National Acad Sciences

... Search for citing articles in: ISI Web of Science (43). ... preequilibrated with 100

ml of 20 mM Tris buffer (pH 7.2 ... p53 core domain was eluted with a 0.1-0.3 M NaCl ...

[Cited by 63](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)
[The ZIN/POZ domain of ZF5 is required for both transcriptional activation and repression - group of 5 »](#)

J Kaplan, K Calame, O Journals - Nucleic Acids Research - Oxford Univ Press

... at 2500 g at 4 °C, resuspended in Western substrate buffer (WSB) (50 mM Tris ... of

the Gal4 fusion proteins, anti-yeast Gal4 DNA binding domain antibody (Upstate ...

[Cited by 38](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

Gooooooooooooo gle ►

Result Page: **12345678910** **Next**

web domain buffer

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



Web Images Video News Maps [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar [All articles](#) [Recent articles](#)

Results 1 - 10 of about 16,700 for [web domain log buffer](#) . (0.14 seconds)

All Results

[An analysis of the TUX web server - group of 11 »](#)

C Lever, SN Alliance, SP Molloy - Ann Arbor - honeymen.org

... Cached **web** objects are managed as a part ... [http://server.your.domain/module?argument](#)

where module ... [int \(*send_reply\) \(http_req_t *req\); int \(*log\) \(http_req_t *req ...](#)

[Cited by 14](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

[K Joshi](#)

[J Loeffler](#)

[P Danzig](#)

[F Menczer](#)

[Y Hayashi](#)

[Efficient prediction of web accesses on a proxy server](#)

W Lou, H Lu - Proceedings of the eleventh international conference on ..., 2002 - portal.acm.org

... a navigational model that captures the user's navigation patterns in proxy **log**. ... proxy

logs are very large and cover a wide **domain** of **web**-pages from many ...

[Cited by 8](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)

[Warehousing and mining Web logs - group of 8 »](#)

KP Joshi, A Joshi, Y Yesha, R Krishnapuram - ... the 2nd international workshop on Web information and data ..., 1999 - portal.acm.org

... we would enter '%.edu' on the **Domain** field of ... to populate specific fact tables with

web log as they ... the CGI phf script, or attempted **buffer** overflow attacks ...

[Cited by 35](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)

[A C-terminal domain of the membrane copper pump Ctr1 exchanges copper \(I\) with the copper chaperone ... - group of 4 »](#)

Z Xiao, AG Wedd - gene - rsc.org

... First published as an Advance Article on the web 19th February ... 3 estimates **log** K

$\log K = 20.20$ ($K = 0.6$... Structural studies of the Ctr1c **domain** are in progress, as ...

[Cited by 8](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

[Rapid Killing of Streptococcus pneumoniae with a Bacteriophage Cell Wall Hydrolase - group of 7 »](#)

JM Loeffler, D Nelson, VA Fischetti - 2001 - sciencemag.org

... remained colonized throughout the experiment (mean **log** 10 3.0 ... two-way analysis of

variance (ANOVA)] [**Web** fig ... trapped inside the host, the binding **domain** of lytic ...

[Cited by 83](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

[NetCache architecture and deployment - group of 12 »](#)

P Danzig - Computer Networks and ISDN Systems, 1998 - wwwcache.ja.net

... Disk I/O **Buffer** Pool WAFL/ONTAP ... through password-protected, access-controlled **web**

pages ... Squid" format, for compatibility with public **domain log** analysis tools ...

[Cited by 48](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

[Dynamic data buffer allocation tuning](#)

CH Elving - 2002 - freepatentsonline.com

... In this example, name identifier 302 indicates that **buffer** file 218 has been

assigned to **buffer log** data for the **web** site **domain** SITE_A.COM. ...

[Cached](#) - [Web Search](#) - [Import into BibTeX](#)

[A stateful intrusion detection system for World-Wide Web servers - group of 14 »](#)

TOC View - Computer Security Applications Conference, 2003. Proceedings ..., 2003 - ieeeexplore.ieee.org

... overflow exploits a vulnerability in the **web** server code, it is possible that a

log entry would ... The STAT framework makes cross-**domain** intrusion de- tection ...

[Cited by 26](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)

[architecture and internal design of the AUC-Abyss Web server - group of 3 »](#)

A AMREL-KADI, KE LY, R NOHAELSHARAWY, M FAMAZEN - usenix.org

... Markup Language (XML), HTTP, and **Domain** Name System ... the main core controller of the

Web server and ... responsible for storing the transaction in the **log buffer**. ...

[Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)

[Topical web crawlers: Evaluating adaptive algorithms - group of 10 »](#)

F Menczer, G Pant, P Srinivasan - ACM Transactions on Internet Technology (TOIT), 2004 - portal.acm.org

... American Birling Association—Created to promote **log** rolling boom ... to collect pages

from university **Web** sites or ... retrieved pages to the .edu **domain**, while the ...


[Cited by 38](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)

Gooooooooooooo gle ►

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar All articles Recent articles

Results 1 - 10 of about 9,900 for web domain threaded. (0.13 seconds)

All Results

[R Bentley](#)

[A Heydon](#)

[J Trevor](#)

[M Najork](#)

[W Appelt](#)

[Mercator: A scalable, extensible Web crawler - group of 29 »](#)

A Heydon, M Najork - World Wide Web, 1999 - Springer

... is a well-documented bottleneck of most Web crawlers. ... of the Berkeley Internet Name Domain (BIND) distribution ... we wrote our own multi-threaded DNS resolver ...

Cited by 184 - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

[A Reference Architecture for Web Servers - group of 16 »](#)

AE Hassan, RC Holt - 7th Working Conference on Reverse Engineering, Brisbane, ..., 2000 - doi.ieeecomputersociety.org

... OSAL OS Layer NS Thread (Java support) ... architecture for web servers will be helpful in providing a better under- standing for the web server domain. ...

Cited by 20 - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)

[Balancing volume, quality and freshness in web crawling - group of 4 »](#)

R Baeza-Yates, C Castillo - Soft Computing Systems-Design, Management and Applications, 2002 - ciw.cl

... Networking Networking (Multi (Multi-threaded) threaded) Scheduler Scheduler ... can be estimated for most Web servers 1 ... 12 1 http://host.domain.com/path/file.html ...

Cited by 11 - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

[Multi-threaded web based user inbox for report management - group of 3 »](#)

CY Devine, TE Dollar, WJ Munguia - US Patent 6,385,644, 2002 - Google Patents

Page 1. United States Patent Devine et al. (54) MULTI-THREADED WEB BASED USER INBOX FOR REPORT MANAGEMENT (75) Inventors: Carol Y ...

Cited by 14 - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)

[Leveraging program analysis for Web site reverse engineering - group of 3 »](#)

HM Kienle, HA Muller - Web Site Evolution, 2001. Proceedings. 3rd International ..., 2001 - ieeexplore.ieee.org

... However, ex- ecuting multi-threaded code in the Web site domain might exhibit certain patterns, which then can be ex- ploited by specifically tailored analyses ...

Cited by 6 - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)

[An embedded domain-specific language for type-safe server-side web scripting - group of 7 »](#)

P Thiernann - ACM Transactions on Internet Technology (TOIT), 2005 - portal.acm.org

... Despite the very specific problems of the Web programming domain, it is not necessary to design and implement a language from scratch. ...

Cited by 8 - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)

[Web crawler system using parallel queues for queuing data sets having common address and concurrently ... - group of 3 »](#)

MA Najork, CA Heydon - US Patent 6,377,984, 2002 - Google Patents

... yet been enqueued or processed by the web crawler ... into a host identifier "H" using the domain name system ... The thread then determines whether the main FIFO queue ...

Cited by 5 - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)

[A Runtime System for Interactive Web Services - group of 11 »](#)

C Brabrand, A Moeller, A Sandholm, MI Schwartzbach - WWW8 / Computer Networks, 1999 - www8.org

... is really a collection of tiny domain-specific languages ... on different aspects of interactive web services. ... the concurrent behavior, a thread may synchronize ...

Cited by 25 - [Related Articles](#) - [Cached](#) - [Web Search](#) - [Import into BibTeX](#)

[Rapid Reverse DNS Lookups for Web Servers - group of 2 »](#)

W LeFebvre, K Craig - unix.org

... The back end DNS question thread pops addresses off this ... Rapid DNS has provided the CNN Web Farm with a viable mechanism for obtaining client domain names. ...

Cited by 3 - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)

[System and method for enforcing politeness while scheduling downloads in a web crawler - group of 3 »](#)

MA Najork, CA Heydon - US Patent 6,321,265, 2001 - Google Patents

... The enqueue operation, performed by a thread executing the ... h" during the course of downloading web pages (160 ... a host identifier "H" using the domain name system ...

Cited by 4 - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)

Google

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

Scholar BETA

web domain threaded logging

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
Scholar [All articles](#) [Recent articles](#)
Results 1 - 10 of about 12,300 for web domain threaded logging. (0.15 seconds)**All Results**
[... of Web Frequent Patterns and User Characteristics from Web Access Logs: A Framework for Dynamic Web ...](#) - group of 5 »

[A Weinberg](#)

S Dua, E Cho, SS Iyengar - Proceedings of the 3rd IEEE Symposium on Application- ..., 2000 - doi.ieeeecs.org

[J Hu](#)
... Y j 2. If $R_j \neq Y_n$, a backward access path, derived the **web domain** knowledge

[P Thiemann](#)
tree ... flow of data paths of accesses URLs in the identification of **Log thread**. ...

[S Dua](#)
Cited by 19 - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)
[D Schmidt](#)
An analysis of the TUX **web** server - group of 11 »

C Lever, SN Alliance, SP Molloy - Ann Arbor - honeyman.org

... Pass through the **thread**'s housekeeping event loop - check ... Cached **web** objects are
managed as a part ... [http://server.your.domain/module?argument](#) where module ...
Cited by 14 - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)
[An embedded domain-specific language for type-safe server-side web scripting](#) - group of 7 »

P Thiemann - ACM Transactions on Internet Technology (TOIT), 2005 - portal.acm.org

... 1 Short for **Web log**, a blog is a **Web** page that serves as a publicly accessible personal
journal ... Embedded **Domain-Specific Language for Web Scripting** ...
Cited by 8 - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)
[Balancing volume, quality and freshness in web crawling](#) - group of 4 »

R Baeza-Yates, C Castillo - Soft Computing Systems-Design, Management and Applications, 2002 - ciw.cl

... Networking Networking (Multi (Multi-**threaded**) **threaded**) Scheduler Scheduler ... can
be estimated for most **Web** servers 1 ... 12 1 [http://host.domain.com/path/file.html](#) ...
Cited by 11 - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)
[Palantir: A Visualization Tool for the World Wide Web](#) - group of 11 »

N Papadakis, EP Markatos, AE Papathanasiou - Proceedings INET, 1998 - ii.uib.no

... The third **thread** deals with the translation of host names ... toolset (Pablo and Avatar)
into a new **domain**: WWW traffic ... that can be easily used by **web** masters and ...
Cited by 10 - [Related Articles](#) - [Cached](#) - [Web Search](#) - [Import into BibTeX](#)
[Developing a high-performance web server in Concurrent Haskell](#) - group of 4 »

S MARLOW - Journal of Functional Programming, 2003 - Cambridge Univ Press

... to Haskell are particularly useful for this problem **domain**: ... Developing a
high-performance **web** server in ... The **logging thread** removes items from the channel ...
Cited by 2 - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)
[JAWS: A Framework for High Performance Web Servers](#) - group of 19 »
J Hu, D Schmidt - **Domain-Specific Application Frameworks: Frameworks** ... - lisoleg.net
... the **Thread-per-Request**, **Thread Pool**, and **Thread-per-Session** ... globally accessible
resources in a **Web** server. Although this pattern is **domain-independent** and thus ...
Cited by 17 - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)
[A Reference Architecture for Web Servers](#) - group of 16 »

AE Hassan, RC Holt - 7th Working Conference on Reverse Engineering, Brisbane, ..., 2000 - doi.ieeecomputersociety.org

... OSAL OS Layer NS **Thread** (Java support) ... architecture for **web** servers will be helpful
in providing a better under- standing for the **web** server **domain**. ...
Cited by 20 - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)
[Mercator: A scalable, extensible Web crawler](#) - group of 29 »

A Heydon, M Najork - World Wide Web, 1999 - Springer

... part of the Berke- ley Internet Name **Domain** (BIND) distribution ... Performing a random
walk of the **Web** is quite ... only the URLs dis- covered on each **thread**'s most ...
Cited by 184 - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)
[Fault tolerant Web service](#) - group of 5 »

D Liang, CL Fang, C Chen, F Lin - Software Engineering Conference, 2003. Tenth Asia-Pacific, 2003 - ieeexplore.ieee.org

... of the service group, and publishes the **web** service to ... version="1.0" location="H2.
our.**domain**::8080" /> </WSG ... the **log** while the other **thread** returns the ...
Cited by 15 - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)

Gooooooooooooo gle ►

Result Page: 12345678910 **Next**

web domain threaded logging

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google